ELSEVIER

Brain Research 919 (2001) 323–325

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Ali, S.F., see Thiriet, N. (919) 31

Balaban, P. and Maksimova, O.
Decrease of effectivity of 'competing' synaptic input requires protein synthesis (919) 318

Barnea, A. and Roberts, J.
Induction of functional and morphological expression of neuropeptide Y (NPY) in cortical cultures by brain-derived neurotrophic factor (BDNF): evidence for a requirement for extracellular-regulated kinase (ERK)-dependent and ERK-independent mechanisms (919) 57

Behar, K.L., see Patel, A.B. (919) 207

Bijur, G.N., see King, T.D. (919) 106

Boules, M., McMahon, B., Warrington, L., Stewart, J., Jackson, J., Fauq, A., McCormick, D. and Richelson, E.
Neurotensin analog selective for hypothermia over antinociception and exhibiting atypical neuroleptic-like properties (919) 1

Bowyer, J.F., Holson, R.R., Miller, D.B. and O'Callaghan, J.P.
Phenobarbital and dizocilpine can block methamphetamine-induced neurotoxicity in mice by mechanisms that are independent of thermoregulation (919) 179

Briggs, C.A., see Zhang, X.-F. (919) 166

Broadbent, N.J., see Colombo, M. (919) 292

Brown, W., see Ma, X. (919) 169

Bucelli, R., see Roth, J.A. (919) 139

Burke, C., see Foster, K.A. (919) 122

Butler, A.B., see Saidel, W.M. (919) 82

Caputi, L., Hainsworth, A.H., Lavaroni, F., Leach, M.J., McNaughton, N.C.L., Mercuri, N.B., Randall, A.D., Spadoni, F., Swan, J.H. and Stefani, A.
Neuroprotective actions in vivo and electrophysiological actions in vitro of 202W92 (919) 259

Cha, C.I., see Chung, Y.H. (919) 322

Chowdhury, S.I., see Weiss, M.L. (919) 269

Chung, Y.H., Shin, C.-m., Kim, M.J., Shin, D.H., Yoo, Y.B. and Cha, C.I.
Erratum to: Differential alterations in the distribution of voltage-gated calcium channels in aged rat cerebellum [Brain Research 903 (2001) 247–252] (919) 322

Cline, G.W., see Patel, A.B. (919) 207

Colditz, P.B., see Foster, K.A. (919) 122

Colombo, M., Broadbent, N.J., Taylor, C.S.R. and Frost, N.
The role of the avian hippocampus in orientation in space and time (919) 292

Crain, S.M., see Shen, K.-F. (919) 20

Dalil-Thiney, N., see Dkhissi, O. (919) 242

Deckel, A.W., Gordinier, A., Nuttal, D., Tang, V., Kuwada, C., Freitas, R. and Gary, K.A.
Reduced activity and protein expression of NOS in R6/2 HD transgenic mice: effects of L-NAME on symptom progression (919) 70

Dietrich, A., Taylor, J.T. and Passmore, C.E.
AVP (4-8) improves concept learning in PFC-damaged but not hippocampal-damaged rats (919) 41

Dityatev, A., see Tang, J. (919) 232

Dkhissi, O., Julien, J.-F., Wasowicz, M., Dalil-Thiney, N., Nguyen-Legros, J. and Versaux-Botteri, C.
Differential expression of GAD_{65} and GAD_{67} during the development of the rat retina (919) 242

Dunster, K.R., see Foster, K.A. (919) 122

Egawa, S., see Takahashi, H. (919) 12

Etgen, A.M., see Jackson, A. (919) 175

Fauq, A., see Boules, M. (919) 1

Fekete, C., see Mihaly, E. (919) 185

Foster, K.A., Colditz, P.B., Lingwood, B.E., Burke, C., Dunster, K.R. and Roberts, M.S.
An improved survival model of hypoxia/ischaemia in the piglet suitable for neuroprotection studies (919) 122

Freeman, M.E., see Gerhold, L.M. (919) 48

Freitas, R., see Deckel, A.W. (919) 70

Friedman, M.I., see Horn, C.C. (919) 198

Frost, N., see Colombo, M. (919) 292

Gary, K.A., see Deckel, A.W. (919) 70

Gerhold, L.M., Horvath, T.L. and Freeman, M.E.
Vasoactive intestinal peptide fibers innervate neuroendocrine dopaminergic neurons (919) 48

Godbout, C., see Ma, X. (919) 169

Gordinier, A., see Deckel, A.W. (919) 70

Gotoh, M., Takagi, J., Mori, S., Yatoh, M., Hirooka, Y., Yamanouchi, K. and Smythe, G.A.
Octreotide-induced suppression of the hyperglycemic response to neostigmine or bombesin: relationship to hypothalamic noradrenergic drive (919) 155

Grace, M.S. and Woodward, O.M.
Altered visual experience and acute visual deprivation affect predatory targeting by infrared-imaging Boid snakes (919) 250

Hainsworth, A.H., see Caputi, L. (919) 259

Hayashi, S., see Takahashi, H. (919) 12

Hirooka, Y., see Gotoh, M. (919) 155

Hodzic, L., see Ma, X. (919) 169

Hökfelt, T., see Ma, X. (919) 169

Holson, R.R., see Bowyer, J.F. (919) 179

Horn, C.C., Tordoff, M.G. and Friedman, M.I.
Role of vagal afferent innervation in feeding and brain Fos expression produced by metabolic inhibitors (919) 198

Horvath, T.L., see Gerhold, L.M. (919) 48

Huang, J., see Weiss, M.L. (919) 269

Ichikawa, H., Yamashita, K., Takano-Yamamoto, T. and Sugimoto, T.
Osteopontin-immunoreactivity in the rat trigeminal ganglion and trigeminal sensory nuclei (919) 147

Jackson, A. and Etgen, A.M.
Inhibition of lordosis behavior by intrahypothalamic infusion of a protein kinase G antagonist (919) 175

Jackson, J., see Boules, M. (919) 1

Johard, H.A.D., Muren, J.E., Nichols, R., Larhammar, D.S. and Nässel, D.R.
A putative tachykinin receptor in the cockroach brain: molecular cloning

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(01)03187-0

and analysis of expression by means of antisera to portions of the receptor protein (919) 94
Johnson, S.W., see Zheng, F. (919) 313
Jope, R.S., see King, T.D. (919) 106
Julien, J.-F., see Dkhissi, O. (919) 242

Kenney, M.J., see Weiss, M.L. (919) 269
Kim, M.J., see Chung, Y.H. (919) 322
King, T.D., Bijur, G.N. and Jope, R.S.
Caspase-3 activation induced by inhibition of mitochondrial complex I is facilitated by glycogen synthase kinase-3β and attenuated by lithium (919) 106
Kippin, T.E., see Mistlberger, R.E. (919) 283
Kuwada, C., see Deckel, A.W. (919) 70

Larhammar, D.S., see Johard, H.A.D. (919) 94
Lavaroni, F., see Caputi, L. (919) 259
Leach, M.J., see Caputi, L. (919) 259
Lechan, R.M., see Mihaly, E. (919) 185
Legradi, G., see Mihaly, E. (919) 185
Lingwood, B.E., see Foster, K.A. (919) 122
Lis, A., see Roth, J.A. (919) 139

Ma, X., Tong, Y.-G., Schmidt, R., Brown, W., Payza, K., Hodzic, L., Pou, C., Godbout, C., Hökfelt, T. and Xu, Z.-Q.D.
Effects of galanin receptor agonists on locus coeruleus neurons (919) 169
Maksimova, O., see Balaban, P. (919) 318
Marchant, E.G., see Mistlberger, R.E. (919) 283
Marquez-Houston, K., see Saidel, W.M. (919) 82
McCormick, D., see Boules, M. (919) 1
McGeer, E.G., see Yasojima, K. (919) 115
McGeer, P.L., see Yasojima, K. (919) 115
McKenna, D.G., see Zhang, X.-F. (919) 166
McMahon, B., see Boules, M. (919) 1
McNaughton, N.C.L., see Caputi, L. (919) 259
Mercuri, N.B., see Caputi, L. (919) 259
Mihaly, E., Legradi, G., Fekete, C. and Lechan, R.M.
Efferent projections of ProTRH neurons in the ventrolateral periaqueductal gray (919) 185
Miller, D.B., see Bowyer, J.F. (919) 179
Mistlberger, R.E., Marchant, E.G. and Kippin, T.E.
Food-entrained circadian rhythms in rats are insensitive to deuterium oxide (919) 283
Mori, S., see Gotoh, M. (919) 155
Morishima, H.O., see Whittington, R.A. (919) 132
Muren, J.E., see Johard, H.A.D. (919) 94

Nässel, D.R., see Johard, H.A.D. (919) 94
Navarro, X., see Valero-Cabré, A. (919) 302
Nguyen-Legros, J., see Dkhissi, O. (919) 242
Nichols, R., see Johard, H.A.D. (919) 94
Nuttal, D., see Deckel, A.W. (919) 70

O'Callaghan, J.P., see Bowyer, J.F. (919) 179
Owens, N.C. and Verberne, A.J.M.
Regional haemodynamic responses to activation of the medial prefrontal cortex depressor region (919) 221
Oyanagi, K., see Takahashi, H. (919) 12

Passmore, C.E., see Dietrich, A. (919) 41
Patel, A.B., Rothman, D.L., Cline, G.W. and Behar, K.L.
Glutamine is the major precursor for GABA synthesis in rat neocortex in vivo following acute GABA-transaminase inhibition (919) 207
Patel, K.P., see Weiss, M.L. (919) 269
Payza, K., see Ma, X. (919) 169
Piao, Y.-S., see Takahashi, H. (919) 12
Pike, C.J.
Testosterone attenuates β-amyloid toxicity in cultured hippocampal neurons (919) 160
Pou, C., see Ma, X. (919) 169

Randall, A.D., see Caputi, L. (919) 259
Richelson, E., see Boules, M. (919) 1
Roberts, J., see Barnea, A. (919) 57
Roberts, M.S., see Foster, K.A. (919) 122
Rosenblatt, T., see Roth, J.A. (919) 139
Roth, J.A., Rosenblatt, T., Lis, A. and Bucelli, R.
Melatonin-induced suppression of PC12 cell growth is mediated by its Gi coupled transmembrane receptors (919) 139
Rothman, D.L., see Patel, A.B. (919) 207

Saidel, W.M., Marquez-Houston, K. and Butler, A.B.
Identification of visual pallial telencephalon in the goldfish, *Carassius auratus*: a combined cytochrome oxidase and electrophysiological study (919) 82
Schachner, M., see Tang, J. (919) 232
Schmidt, R., see Ma, X. (919) 169
Shen, K.-F. and Crain, S.M.
Cholera toxin-B subunit blocks excitatory opioid receptor-mediated hyperalgesic effects in mice, thereby unmasking potent opioid analgesia and attenuating opioid tolerance/dependence (919) 20
Shimohata, T., see Takahashi, H. (919) 12
Shin, C.-m., see Chung, Y.H. (919) 322
Shin, D.H., see Chung, Y.H. (919) 322
Smythe, G.A., see Gotoh, M. (919) 155
Spadoni, F., see Caputi, L. (919) 259
Stefani, A., see Caputi, L. (919) 259
Stewart, J., see Boules, M. (919) 1
Sugimoto, T., see Ichikawa, H. (919) 147
Swan, J.H., see Caputi, L. (919) 259

Takagi, J., see Gotoh, M. (919) 155
Takahashi, H., Egawa, S., Piao, Y.-S., Hayashi, S., Yamada, M., Shimohata, T., Oyanagi, K. and Tsuji, S.
Neuronal nuclear alterations in dentatorubral-pallidoluysian atrophy: ultrastructural and morphometric studies of the cerebellar granule cells (919) 12
Takano-Yamamoto, T., see Ichikawa, H. (919) 147
Tang, J., Wotjak, C.T., Wagner, S., Williams, G., Schachner, M. and Dityatev, A.
Potentiated amygdaloid auditory-evoked potentials and freezing behavior after fear conditioning in mice (919) 232
Tang, V., see Deckel, A.W. (919) 70
Taylor, C.S.R., see Colombo, M. (919) 292
Taylor, J.T., see Dietrich, A. (919) 41
Thiriet, N., Zwiller, J. and Ali, S.F.
Induction of the immediate early genes *egr-1* and *c-fos* by methamphetamine in mouse brain (919) 31
Tong, Y.-G., see Ma, X. (919) 169
Tordoff, M.G., see Horn, C.C. (919) 198
Tsuji, S., see Takahashi, H. (919) 12

Valero-Cabré, A. and Navarro, X.
H reflex restitution and facilitation after different types of peripheral nerve injury and repair (919) 302
Verberne, A.J.M., see Owens, N.C. (919) 221
Versaux-Botteri, C., see Dkhissi, O. (919) 242
Virag, L., see Whittington, R.A. (919) 132
Vulliemoz, Y., see Whittington, R.A. (919) 132

Wagner, S., see Tang, J. (919) 232
Warrington, L., see Boules, M. (919) 1
Wasowicz, M., see Dkhissi, O. (919) 242
Weiss, M.L., Chowdhury, S.I., Patel, K.P., Kenney, M.J. and Huang, J.
Neural circuitry of the kidney: NO-containing neurons (919) 269
Whittington, R.A., Virag, L., Morishima, H.O. and Vulliemoz, Y.
Dexmedetomidine decreases extracellular dopamine concentrations in the rat nucleus accumbens (919) 132
Williams, G., see Tang, J. (919) 232
Woodward, O.M., see Grace, M.S. (919) 250
Wotjak, C.T., see Tang, J. (919) 232

Xu, Z.-Q.D., see Ma, X. (919) 169

Yamada, M., see Takahashi, H. (919) 12
Yamanouchi, K., see Gotoh, M. (919) 155
Yamashita, K., see Ichikawa, H. (919) 147
Yasojima, K., McGeer, E.G. and McGeer, P.L.
Relationship between beta amyloid peptide generating molecules and neprilysin in Alzheimer disease and normal brain (919) 115
Yatoh, M., see Gotoh, M. (919) 155
Yoo, Y.B., see Chung, Y.H. (919) 322

Zhang, X.-F., McKenna, D.G. and Briggs, C.A.
Epibatidine, a nicotinic acetylcholine receptor agonist, inhibits the capsaicin response in dorsal root ganglion neurons (919) 166
Zheng, F. and Johnson, S.W.
Glycine receptor-mediated inhibition of dopamine and non-dopamine neurons of the rat ventral tegmental area in vitro (919) 313
Zwiller, J., see Thiriet, N. (919) 31